



**Am grupa**

[www.amgrupa.hr](http://www.amgrupa.hr) • [info@amgrupa.hr](mailto:info@amgrupa.hr)



*Lamborghini*  
TRATTORI

KATALOG SEZONA 2019

## LAMBORGHINI Traktori - EGO



LAMBORGHINI MODEL:	EGO 45	EGO 55
MOTOR:	MITSUBISHI	MITSUBISHI
EMISIJA PLINOVA:	Stupanj III A	Stupanj III A
SNAGA:	31.5 Kw / 43.0 Ks	37.0 Kw / 51.0 Ks
ZAPREMINA:	1500 cc	1758 cc
CILINDARA:	4	4
RUČNI MJENJAČ:	16 FWD + 16 REV	16 FWD + 16 REV
PUMPA:	30 L/min	30 L/min
BRZINA:	30 km/h	30 km/h
PTO:	540/540ECO	540/540ECO
ZADNJA HIDRULIKA:	1200 Kg	1200 Kg
MEĐUOSOVIN. RAZMAK:	1745 mm	1745 mm
TEŽINA S ROPS:	1207-1370 Kg	1267-1440 Kg
KABINA:	OPCIJA	OPCIJA
TEŽINA SA KABINOM:	1487-1660 Kg	1547-1720 Kg
KATALOŠKI BROJ:	7AJ502	7AJ602



## LAMBORGHINI Traktori - CRONO

LAMBORGHINI MODEL:	CRONO 70	CRONO 80
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj III B	Stupanj III B
MAX SNAGA:	48.0 Kw / 65.0 Ks	55.4 Kw / 75.0 Ks
NOMINALNA SNAGA:	48.0 Kw / 65.0 Ks	55.4 Kw / 75.0 Ks
ZAPREMINA:	2887 cc	2887 cc
CILINDARA:	3	3
MJENJAČ (4 STUPNJA):	8+8 ECO ili 12+3 CR	8+8 ECO ili 12+3 CR
MJENJAČ (5 STUPNJA):	15+15 ili 15+15 ECO	15+15 ili 15+15 ECO
BRZINA 4ST./5ST.:	30/40 km/h	30/40 km/h
KONTROLA POGONA:	Elektrohidraulična	Elektrohidraulična
PTO:	540/540ECO/1000	540/540ECO/1000
ZADNJA HIDRULIKA:	2500/3500 Kg	2500/3500 Kg
MEĐUOSOVIN. RAZMAK:	2100 mm	2100 mm
MIN ŠIRINA:	1782 mm	1840 mm
KABINA:	OPCIJA	OPCIJA
TEŽINA SA KABINOM:	3000 Kg	3000 Kg
KATALOŠKI BROJ:	7EF002	7EF102



LAMBORGHINI MODEL:	CRONO 90	CRONO 100
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj III B	Stupanj III B
MAX SNAGA:	65.0 Kw / 88.0 Ks	71.0 Kw / 97.0 Ks
NOMINALNA SNAGA:	61.6 Kw / 84.0 Ks	67.3 Kw / 92.0 Ks
ZAPREMINA:	2887 cc	2887 cc
CILINDARA:	3	3
MJENJAČ (4 STUPNJA):	8+8 ECO ili 12+3 CR	8+8 ECO ili 12+3 CR
MJENJAČ (5 STUPNJA):	15+15 ili 15+15 ECO	15+15 ili 15+15 ECO
BRZINA 4ST./5ST.:	30/40 km/h	30/40 km/h
KONTROLA POGONA:	Elektrohidraulična	Elektrohidraulična
PTO:	540/540ECO/1000	540/540ECO/1000
ZADNJA HIDRULIKA:	2500/3500 Kg	2500/3500 Kg
MEĐUOSOVIN. RAZMAK:	2100 mm	2100 mm
MIN ŠIRINA:	1823 mm	2005 mm
KABINA:	OPCIJA	OPCIJA
TEŽINA SA KABINOM:	3000 Kg	3000 Kg
KATALOŠKI BROJ:	7EF202	7EF302



## LAMBORGHINI Traktori - STRIKE TB



LAMBORGHINI MODEL:	STRIKE TB 105	STRIKE TB 115
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj III B	Stupanj III B
MAX SNAGA:	75.0 Kw / 102.0 Ks	83.0 Kw / 113.0 Ks
NOMINALNA SNAGA:	71.5 Kw / 97.0 Ks	79.0 Kw / 107.0 Ks
ZAPREMINA:	3849 cc	3849 cc
CILINDARA:	4	4
MANUALNI MJENJAČ:	10+10	10+10
POWERSHIFT MJENJAČ:	40+40	40+40
BRZINA:	30/40 km/h	30/40 km/h
BRZO UPRAVLJANJE:	SDD Sustav	SDD Sustav
PTO:	540/ECO/1000/ECO	540/ECO/1000/ECO
ZADNJA HIDRULIKA:	3600/4525 Kg	3600/4525 Kg
MEĐUOSOVIN. RAZMAK:	2400 mm	2400 mm
KABINA:	OPCIJA	OPCIJA
TEŽINA SA KABINOM:	3300 Kg	3500 Kg
KATALOŠKI BROJ:	7DS102	7DS202



## LAMBORGHINI Traktori - RF. Trend

LAMBORGHINI MODEL:	RF. Trend 70	RF. Trend 80
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj III B	Stupanj III B
MAX SNAGA:	48.0 Kw / 65.0 Ks	55.4 Kw / 75.0 Ks
ZAPREMINA:	2887 cc	2887 cc
CILINDARA:	3	3
MJENJAČ (4 STUPNJA):	8+8	8+8
MJENJAČ (5 STUPNJA):	10+10/15+15/30+15	10+10/15+15/30+15
BRZINA 4ST./5ST.:	30/40 km/h	30/40 km/h
PTO:	540/540ECO	540/540ECO
ZADNJA HIDRULIKA:	3050/2700 Kg	3050/2700 Kg
MEĐUOSOVIN. RAZMAK:	1996 mm	1996 mm
ŠIRINA (STANDARD):	1498/1642 mm	1498/1642 mm
ŠIRINA (COMPACT):	1422/1612 mm	1422/1612 mm
KABINA:	OPCIJA	OPCIJA
TEŽINA:	2500 Kg	2500 Kg
KATALOŠKI BROJ:	-	-



LAMBORGHINI MODEL:	RF. Trend 80.4
MOTOR:	FARMotion
EMISIJA PLINOVA:	Stupanj III B
MAX SNAGA:	55.4 Kw / 75.0 Ks
ZAPREMINA:	3849 cc
CILINDARA:	4
MJENJAČ (4 STUPNJA):	8+8
MJENJAČ (5 STUPNJA):	10+10/15+15/30+15
BRZINA 4ST./5ST.:	30/40 km/h
PTO:	540/540ECO
ZADNJA HIDRULIKA:	3050/2700 Kg
MEĐUOSOVIN. RAZMAK:	2126 mm
ŠIRINA (STANDARD):	1498/1642 mm
ŠIRINA (COMPACT):	1422/1612 mm
KABINA:	OPCIJA
TEŽINA:	2650 Kg
KATALOŠKI BROJ:	-



LAMBORGHINI MODEL:	SPIRE F Target 80	SPIRE F Target 80.4
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj III B	Stupanj III B
MAX SNAGA:	55.4 Kw / 75.0 Ks	55.4 Kw / 75.0 Ks
ZAPREMINA:	2887 cc	3849 cc
CILINDARA:	3	4
MANUALNI MJENJAČ:	20+10/30+15	20+10/30+15
BRZINA MOTORA:	Kontrola (GUMB)	Kontrola (GUMB)
KONTROLA POGONA:	Elektrohidraulična	Elektrohidraulična
BRZINA:	30/40 km/h	30/40 km/h
PTO:	540/540ECO/1000	540/540ECO/1000
ZADNJA HIDRULIKA:	2600 Kg	2600 Kg
PUMPA HIDRAULIKE:	45 L/min	45 L/min
MEĐUOSOVIN. RAZMAK:	2011 mm	2141 mm
MIN ŠIRINA:	1466 mm	1450 mm
KABINA:	OPCIJA	OPCIJA
TEŽINA S ROPS:	2620 Kg	2770 Kg
KATALOŠKI BROJ:	7EA702	7EB502



LAMBORGHINI MODEL:	SPIRE F Target 90	SPIRE F Target 90.4
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj III B	Stupanj III B
MAX SNAGA:	65.0 Kw / 88.0 Ks	65.0 Kw / 88.0 Ks
ZAPREMINA:	2887 cc	3849 cc
CILINDARA:	3	4
MANUALNI MJENJAČ:	20+10/30+15	20+10/30+15
BRZINA MOTORA:	Kontrola (GUMB)	Kontrola (GUMB)
KONTROLA POGONA:	Elektrohidraulična	Elektrohidraulična
BRZINA:	30/40 km/h	30/40 km/h
PTO:	540/540ECO/1000	540/540ECO/1000
ZADNJA HIDRULIKA:	2600 Kg	2800 Kg
PUMPA HIDRAULIKE:	45 L/min	45 L/min
MEĐUOSOVIN. RAZMAK:	2011 mm	2141 mm
MIN ŠIRINA:	1597 mm	1584 mm
KABINA:	OPCIJA	OPCIJA
TEŽINA S ROPS:	2620 Kg	2770 Kg
KATALOŠKI BROJ:	7EF902	7EB902



LAMBORGHINI MODEL:	SPIRE F Target 100	SPIRE F Target 105
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj III B	Stupanj III B
MAX SNAGA:	71.0 Kw / 97.0 Ks	75.0 Kw / 102.0 Ks
ZAPREMINA:	2887 cc	3849 cc
CILINDARA:	3	4
MANUALNI MJENJAČ:	20+10/30+15	20+10/30+15
BRZINA MOTORA:	Kontrola (GUMB)	Kontrola (GUMB)
KONTROLA POGONA:	Elektrohidraulična	Elektrohidraulična
BRZINA:	30/40 km/h	30/40 km/h
PTO:	540/540ECO/1000	540/540ECO/1000
ZADNJA HIDRULIKA:	2600 Kg	2800 Kg
PUMPA HIDRAULIKE:	45 L/min	45 L/min
MEĐUOSOVIN. RAZMAK:	2011 mm	2141 mm
MIN ŠIRINA:	1597 mm	1624 mm
KABINA:	OPCIJA	OPCIJA
TEŽINA S ROPS:	2630 Kg	2770 Kg
KATALOŠKI BROJ:	7EB102	7EC302



LAMBORGHINI MODEL:	SPIRE F 80 LS	SPIRE F 90 LS
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj III B	Stupanj III B
MAX SNAGA:	55.4 Kw / 75.0 Ks	65.0 Kw / 88.0 Ks
ZAPREMINA:	2887 cc	2887 cc
CILINDARA:	3	3
MANUALNI MJENJAČ:	30+15	30+15
POWERSHIFT MJENJAČ:	45+45	45+45
BRZINA MOTORA:	Kontrola (GUMB)	Kontrola (GUMB)
BRZINA:	40 km/h	40 km/h
PTO:	540/540ECO/1000	540/540ECO/1000
ZADNJA HIDRULIKA:	2800 Kg	2800 Kg
PUMPA HIDRAULIKE:	64 L/min	64 L/min
MEĐUOSOVIN. RAZMAK:	2011 mm	2011 mm
MIN ŠIRINA:	1454 mm	1454 mm
KABINA:	na 4 stupa	na 4 stupa
TEŽINA S KABINOM:	2950 Kg	2950 Kg
KATALOŠKI BROJ:	BJ402	7DX502



LAMBORGHINI MODEL:	SPIRE F 90.4 LS	SPIRE F 100 LS
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj III B	Stupanj III B
MAX SNAGA:	65.0 Kw / 88.0 Ks	71.0 Kw / 97.0 Ks
ZAPREMINA:	3849 cc	2887 cc
CILINDARA:	4	3
MANUALNI MJENJAČ:	30+15	30+15
POWERSHIFT MJENJAČ:	45+45	45+45
BRZINA MOTORA:	Kontrola (GUMB)	Kontrola (GUMB)
BRZINA:	40 km/h	40 km/h
PTO:	540/540ECO/1000	540/540ECO/1000
ZADNJA HIDRULIKA:	2800 Kg	2800 Kg
PUMPA HIDRAULIKE:	64 L/min	64 L/min
MEĐUOSOVIN. RAZMAK:	2141 mm	2011 mm
MIN ŠIRINA:	1454 mm	1454 mm
KABINA:	na 4 stupa	na 4 stupa
TEŽINA S KABINOM:	3100 Kg	2950 Kg
KATALOŠKI BROJ:	7BJ802	7DX902



LAMBORGHINI MODEL:	SPIRE F 105 LS	SPIRE F 115 LS
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj III B	Stupanj III B
MAX SNAGA:	75.0 Kw / 102.0 Ks	83.0 Kw / 113.0 Ks
ZAPREMINA:	3849 cc	3849 cc
CILINDARA:	4	4
MANUALNI MJENJAČ:	30+15	30+15
POWERSHIFT MJENJAČ:	45+45	45+45
BRZINA MOTORA:	Kontrola (GUMB)	Kontrola (GUMB)
BRZINA:	40 km/h	40 km/h
PTO:	540/540ECO/1000	540/540ECO/1000
ZADNJA HIDRULIKA:	2800 Kg	2800 Kg
PUMPA HIDRAULIKE:	64 L/min	64 L/min
MEĐUOSOVIN. RAZMAK:	2141 mm	2141 mm
MIN ŠIRINA:	1454 mm	1454 mm
KABINA:	na 4 stupa	na 4 stupa
TEŽINA S KABINOM:	3100 Kg	3100 Kg
KATALOŠKI BROJ:	7BK202	BK602



LAMBORGHINI MODEL:	SPIRE S ili V 80 LS	SPIRE S ili V 90 LS
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj III B	Stupanj III B
MAX SNAGA:	55.4 Kw / 75.0 Ks	65.0 Kw / 88.0 Ks
ZAPREMINA:	2887 cc	2887 cc
CILINDARA:	3	3
MANUALNI MJENJAČ:	30+15	30+15
POWERSHIFT MJENJAČ:	45+45	45+45
BRZINA MOTORA:	Kontrola (GUMB)	Kontrola (GUMB)
BRZINA:	40 km/h	40 km/h
PTO:	540/ECO/1000/ECO	540/ECO/1000/ECO
ZADNJA HIDRULIKA:	2600 Kg	2600 Kg
PUMPA HIDRAULIKE:	64 L/min	64 L/min
MEĐUOSOVIN. RAZMAK:	2050 mm	2050 mm
MIN ŠIRINA "S" VERZIJA:	1264 mm	1264 mm
MIN ŠIRINA "V" VERZIJA:	1163 mm	1163 mm
KABINA:	na 4 stupa	na 4 stupa
TEŽINA S KABINOM:	2750 Kg	2750 Kg
KATALOŠKI BROJ:	7BM602 ili 7BS902	7DZ102 ili 7DZ902

TEHNOLOŠKA EVOLUCIJA



LAMBORGHINI MODEL:	SPIRE S ili V 90.4 LS	SPIRE S ili V 100 LS
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj III B	Stupanj III B
MAX SNAGA:	65.0 Kw / 88.0 Ks	71.0 Kw / 97.0 Ks
ZAPREMINA:	3849 cc	2887 cc
CILINDARA:	4	3
MANUALNI MJENJAČ:	30+15	30+15
POWERSHIFT MJENJAČ:	45+45	45+45
BRZINA MOTORA:	Kontrola (GUMB)	Kontrola (GUMB)
BRZINA:	40 km/h	40 km/h
PTO:	540/ECO/1000/ECO	540/ECO/1000/ECO
ZADNJA HIDRULIKA:	2600 Kg	2600 Kg
PUMPA HIDRAULIKE:	64 L/min	64 L/min
MEĐUOSOVIN. RAZMAK:	2180 mm	2050 mm
MIN ŠIRINA "S" VERZIJA:	1264 mm	1264 mm
MIN ŠIRINA "V" VERZIJA:	1163 mm	1163 mm
KABINA:	na 4 stupa	na 4 stupa
TEŽINA S KABINOM:	2900 Kg	2750 Kg
KATALOŠKI BROJ:	7BN402 ili 7BT702	7BN002 ili 7BT302

TEHNOLOŠKA EVOLUCIJA



LAMBORGHINI MODEL:	SPIRE S ili V 105 LS	SPIRE S ili V 115 LS
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj III B	Stupanj III B
MAX SNAGA:	75.0 Kw / 102.0 Ks	83.0 Kw / 113.0 Ks
ZAPREMINA:	3849 cc	3849 cc
CILINDARA:	4	4
MANUALNI MJENJAČ:	30+15	30+15
POWERSHIFT MJENJAČ:	45+45	45+45
BRZINA MOTORA:	Kontrola (GUMB)	Kontrola (GUMB)
BRZINA:	40 km/h	40 km/h
PTO:	540/ECO/1000/ECO	540/ECO/1000/ECO
ZADNJA HIDRULIKA:	2600 Kg	2600 Kg
PUMPA HIDRAULIKE:	64 L/min	64 L/min
MEĐUOSOVIN. RAZMAK:	2141 mm	2141 mm
MIN ŠIRINA "S" VERZIJA:	1264 mm	1264 mm
MIN ŠIRINA "V" VERZIJA:	1163 mm	1163 mm
KABINA:	na 4 stupa	na 4 stupa
TEŽINA S KABINOM:	2900 Kg	2900 Kg
KATALOŠKI BROJ:	7BN802 ili 7BU102	7BP202 ili 7BU502

TEHNOLOŠKA EVOLUCIJA



LAMBORGHINI MODEL:	SPIRE 70 Target	SPIRE 80 Target
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj III B	Stupanj III B
MAX SNAGA:	48.0 Kw / 65.0 Ks	55.4 Kw / 75.0 Ks
ZAPREMINA:	2887 cc	2887 cc
CILINDARA:	3	3
RUČNI MJENJAČ:	10+10/30+15	10+10/30+15
POWERSHIFT MJENJAČ:	45+45	45+45
BRZINA MOTORA:	Kontrola (GUMB)	Kontrola (GUMB)
BRZINA:	40/50 km/h	40/50 km/h
PTO:	540/ECO/1000/ECO	540/ECO/1000/ECO
ZADNJA HIDRULIKA:	3000/3600 Kg	3000/3600 Kg
PUMPA HIDRAULIKE:	54 L/min	54 L/min
MEĐUOSOVIN. RAZMAK:	2100 mm	2100 mm
ŠIRINA:	1940-2240 mm	1940-2240 mm
KABINA:	na 4 stupa	na 4 stupa
TEŽINA S KABINOM:	3200 Kg	3200 Kg
KATALOŠKI BROJ:	7CB502	7BA802



LAMBORGHINI MODEL:	SPIRE 90 Target	SPIRE 90.4 Target
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj III B	Stupanj III B
MAX SNAGA:	65.0 Kw / 88.0 Ks	65.0 Kw / 88.0 Ks
ZAPREMINA:	2887 cc	3849 cc
CILINDARA:	3	4
RUČNI MJENJAČ:	10+10/30+15	10+10/30+15
POWERSHIFT MJENJAČ:	45+45	45+45
BRZINA MOTORA:	Kontrola (GUMB)	Kontrola (GUMB)
BRZINA:	40/50 km/h	40/50 km/h
PTO:	540/ECO/1000/ECO	540/ECO/1000/ECO
ZADNJA HIDRULIKA:	3000/3600 Kg	3000/3600 Kg
PUMPA HIDRAULIKE:	54 L/min	54 L/min
MEĐUOSOVIN. RAZMAK:	2100 mm	2230 mm
ŠIRINA:	1940-2240 mm	2005-2405 mm
KABINA:	na 4 stupa	na 4 stupa
TEŽINA S KABINOM:	3200 Kg	3300 Kg
KATALOŠKI BROJ:	7BB202	7BB602



LAMBORGHINI MODEL:	SPIRE 100.4 GS
MOTOR:	FARMotion
EMISIJA PLINOVA:	Stupanj III B
MAX SNAGA:	75.0 Kw / 102.0 Ks
ZAPREMINA:	3849 cc
CILINDARA:	4
RUČNI MJENJAČ:	30+15
POWERSHIFT MJENJAČ:	45+45
BRZINA MOTORA:	Kontrola (GUMB)
BRZINA:	40 km/h
PTO:	540/ECO/1000/ECO
ZADNJA HIDRULIKA:	3000/3600 Kg
PUMPA HIDRAULIKE:	54 L/min
MEĐUOSOVIN. RAZMAK:	2230 mm
ŠIRINA:	2005-2405 mm
KABINA:	na 4 stupa
TEŽINA S KABINOM:	3300 Kg
KATALOŠKI BROJ:	7BE402



## LAMBORGHINI Traktori - STRIKE



LAMBORGHINI MODEL:	STRIKE 80 LD	STRIKE 90 LD
LD MODEL:	ZA LAKŠE PRIMJENE	ZA LAKŠE PRIMJENE
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj III B	Stupanj IV
MAX SNAGA:	55.4 Kw / 75.0 Ks	65.0 Kw / 88.0 Ks
ZAPREMINA:	2887 cc	2887 cc
CILINDARA:	3	3
RUČNI MJENJAČ:	16+16/20+20	16+16/20+20
POWERSHIFT MJENJAČ:	32+32/40+40	32+32/40+40
POWERSHIFT MJENJAČ:	30+30/60+60	30+30/60+60
BRZO UPRAVLJANJE:	SDD Sustav	SDD Sustav
BRZINA:	40 km/h	40 km/h
PTO:	540/ECO/1000/ECO	540/ECO/1000/ECO
ZADNJA HIDRULIKA:	4525 Kg	4525 Kg
PUMPA HIDRAULIKE:	55 L/min	55 L/min
MEĐUOSOVIN. RAZMAK:	2295 mm	2295 mm
KABINA:	COMFOR	COMFOR
TEŽINA S KABINOM:	3600 Kg	3620 Kg
KATALOŠKI BROJ:	-	-



LAMBORGHINI MODEL:	STRIKE 90 MD	STRIKE 100 MD
MD MODEL:	KOMUNALNA	KOMUNALNA
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj IV	Stupanj IV
MAX SNAGA:	65.0 Kw / 88.0 Ks	71.0 Kw / 97.0 Ks
ZAPREMINA:	2887 cc	3849 cc
CILINDARA:	3	4
RUČNI MJENJAČ:	16+16/20+20	16+16/20+20
POWERSHIFT MJENJAČ:	32+32/40+40	32+32/40+40
POWERSHIFT MJENJAČ:	30+30/60+60	30+30/60+60
BRZO UPRAVLJANJE:	SDD Sustav	SDD Sustav
BRZINA:	40 km/h	40 km/h
PTO:	540/ECO/1000/ECO	540/ECO/1000/ECO
ZADNJA HIDRULIKA:	4525 Kg	4525 Kg
PUMPA HIDRAULIKE:	55 L/min	55 L/min
MEĐUOSOVIN. RAZMAK:	2350 mm	2400 mm
KABINA:	COMFOR	COMFOR
TEŽINA S KABINOM:	3800 Kg	3920 Kg
KATALOŠKI BROJ:	-	-



LAMBORGHINI MODEL:	STRIKE 110 HD	STRIKE 120 HD
MD MODEL:	KOMUNALNA	KOMUNALNA
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj IV	Stupanj IV
MAX SNAGA:	78.0 Kw / 106.0 Ks	85.0 Kw / 116.0 Ks
ZAPREMINA:	3849 cc	3849 cc
CILINDARA:	4	4
RUČNI MJENJAČ:	16+16/20+20	16+16/20+20
POWERSHIFT MJENJAČ:	32+32/40+40	32+32/40+40
POWERSHIFT MJENJAČ:	30+30/60+60	30+30/60+60
BRZO UPRAVLJANJE:	SDD Sustav	SDD Sustav
BRZINA:	40 km/h	40 km/h
PTO:	540/ECO/1000/ECO	540/ECO/1000/ECO
ZADNJA HIDRULIKA:	4855 Kg	5410 Kg
PUMPA HIDRAULIKE:	90 L/min	90 L/min
MEĐUOSOVIN. RAZMAK:	2400 mm	2400 mm
KABINA:	COMFOR	COMFOR
TEŽINA S KABINOM:	4220 Kg	4320 Kg
KATALOŠKI BROJ:	-	-





LAMBORGHINI MODEL:	SPARK 130	SPARK 140
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj IV	Stupanj IV
MAX SNAGA:	93.0 Kw / 126.0 Ks	100.0 Kw / 136.0 Ks
ZAPREMINA:	3849 cc	3849 cc
CILINDARA:	4	4
POWERSHIFT MJENJAČ:	3 stupnja/5 brzina	3 stupnja/5 brzina
VRT PRIJENOS:	2 raspona	2 raspona
KOČNICA MOTORA:	Hidraulična	Hidraulična
BRZO UPRAVLJANJE:	SDD Sustav	SDD Sustav
BRZINA:	50 km/h	50 km/h
PTO:	540/ECO/1000/ECO	540/ECO/1000/ECO
ZADNJA HIDRULIKA:	7000 Kg	7000 Kg
PUMPA HIDRAULIKE:	120 L/min	120 L/min
MEĐUOSOVIN. RAZMAK:	2550 mm	2550 mm
MIN ŠIRINA:	1890 mm	1890 mm
KABINA:	iMonitor	iMonitor
TEŽINA S KABINOM:	5600 Kg	5600 Kg
KATALOŠKI BROJ:	-	-



LAMBORGHINI MODEL:	SPARK 155.4
MOTOR:	DEUTZ
EMISIJA PLINOVA:	Stupanj IV
MAX SNAGA:	114.9 Kw / 156.0 Ks
ZAPREMINA:	4038 cc
CILINDARA:	4
MJENJAČ:	ZF - CVT
VRT PRIJENOS:	4 raspona
UPRAVLJANJE:	InfoCentrePro
BRZINA:	50 km/h
PTO:	540/ECO/1000/ECO
ZADNJA HIDRULIKA:	9200 Kg
PREDNJA HIDRULIKA:	4110 Kg
PUMPA HIDRAULIKE:	170 L/min
MEĐUOSOVIN. RAZMAK:	2543 mm
MIN ŠIRINA:	2416-2720 mm
KABINA:	MaxiVision 2
TEŽINA S KABINOM:	7540-7940 Kg
KATALOŠKI BROJ:	-



LAMBORGHINI MODEL:	SPARK 165.4	SPARK 174.4
MOTOR:	DEUTZ	DEUTZ
EMISIJA PLINOVA:	Stupanj IV	Stupanj IV
MAX SNAGA:	120.8 Kw / 164.0 Ks	125.8 Kw / 171.0 Ks
ZAPREMINA:	4038 cc	4038 cc
CILINDARA:	4	4
MJENJAČ:	ZF - CVT	ZF - CVT
VRT PRIJENOS:	4 raspona	4 raspona
UPRAVLJANJE:	InfoCentrePro	InfoCentrePro
BRZINA:	50 km/h	50 km/h
PTO:	540/ECO/1000/ECO	540/ECO/1000/ECO
ZADNJA HIDRULIKA:	9200 Kg	9200 Kg
PREDNJA HIDRULIKA:	5480 Kg	5480 Kg
PUMPA HIDRAULIKE:	170 L/min	170 L/min
MEĐUOSOVIN. RAZMAK:	2543 mm	2543 mm
MIN ŠIRINA:	2416-2720 mm	2416-2720 mm
KABINA:	MaxiVision 2	MaxiVision 2
TEŽINA S KABINOM:	7540-7940 Kg	7540-7940 Kg
KATALOŠKI BROJ:	-	-



# LAMBORGHINI Traktori - SPARK



LAMBORGHINI MODEL:	SPARK 155	SPARK 165
MOTOR:	DEUTZ	DEUTZ
EMISIJA PLINOVA:	Stupanj IV	Stupanj IV
MAX SNAGA:	114.9 Kw / 156.0 Ks	120.8 Kw / 164.0 Ks
ZAPREMINA:	6057 cc	6057 cc
CILINDARA:	6	6
MJENJAČ:	ZF - CVT	ZF - CVT
VRT PRIJENOS:	4 raspona	4 raspona
UPRAVLJANJE:	InfoCentrePro	InfoCentrePro
BRZINA:	50 km/h	50 km/h
PTO:	540/ECO/1000/ECO	540/ECO/1000/ECO
ZADNJA HIDRULIKA:	9200 Kg	9200 Kg
PREDNJA HIDRULIKA:	4110 Kg	4110 Kg
PUMPA HIDRAULIKE:	170 L/min	170 L/min
MEĐUOSOVIN. RAZMAK:	2767 mm	2767 mm
MIN ŠIRINA:	2416-2720 mm	2416-2720 mm
KABINA:	MaxiVision 2	MaxiVision 2
TEŽINA S KABINOM:	7830-8230 Kg	7830-8230 Kg
KATALOŠKI BROJ:	-	-



LAMBORGHINI MODEL:	SPARK 175	SPARK 185
MOTOR:	DEUTZ	DEUTZ
EMISIJA PLINOVA:	Stupanj IV	Stupanj IV
MAX SNAGA:	129.5 Kw / 176.0 Ks	134.3 Kw / 183.0 Ks
ZAPREMINA:	6057 cc	6057 cc
CILINDARA:	6	6
MJENJAČ:	ZF - CVT	ZF - CVT
VRT PRIJENOS:	4 raspona	4 raspona
UPRAVLJANJE:	InfoCentrePro	InfoCentrePro
BRZINA:	50 km/h	50 km/h
PTO:	540/ECO/1000/ECO	540/ECO/1000/ECO
ZADNJA HIDRULIKA:	9200 Kg	9200 Kg
PREDNJA HIDRULIKA:	5480 Kg	5480 Kg
PUMPA HIDRAULIKE:	170 L/min	170 L/min
MEĐUOSOVIN. RAZMAK:	2767 mm	2767 mm
MIN ŠIRINA:	2472-2720 mm	2416-2720 mm
KABINA:	MaxiVision 2	MaxiVision 2
TEŽINA S KABINOM:	7980-8380 Kg	8200-8600 Kg
KATALOŠKI BROJ:	-	-



LAMBORGHINI MODEL:	SPARK 205	SPARK 215
MOTOR:	DEUTZ	DEUTZ
EMISIJA PLINOVA:	Stupanj IV	Stupanj IV
MAX SNAGA:	149.1 Kw / 203.0 Ks	156.0 Kw / 212.0 Ks
ZAPREMINA:	6057 cc	6057 cc
CILINDARA:	6	6
MJENJAČ:	ZF - CVT	ZF - CVT
VRT PRIJENOS:	4 raspona	4 raspona
UPRAVLJANJE:	InfoCentrePro	InfoCentrePro
BRZINA:	50 km/h	50 km/h
PTO:	540/ECO/1000/ECO	540/ECO/1000/ECO
ZADNJA HIDRULIKA:	10000 Kg	10000 Kg
PREDNJA HIDRULIKA:	5480 Kg	5480 Kg
PUMPA HIDRAULIKE:	170 L/min	170 L/min
MEĐUOSOVIN. RAZMAK:	2848 mm	2848 mm
MIN ŠIRINA:	2486-2720 mm	2486-2720 mm
KABINA:	MaxiVision 2	MaxiVision 2
TEŽINA S KABINOM:	8400-8800 Kg	8400-8800 Kg
KATALOŠKI BROJ:	-	-



## LAMBORGHINI Traktori - MACH VRT



LAMBORGHINI MODEL:	MACH VRT 230	MACH VRT 250
MOTOR:	DEUTZ	DEUTZ
EMISIJA PLINOVA:	Stupanj IV	Stupanj IV
MAX SNAGA:	166.0 Kw / 226.0 Ks	181.0 Kw / 246.0 Ks
ZAPREMINA:	6057 cc	6057 cc
CILINDARA:	6	6
MJENJAČ:	ZF - CVT	ZF - CVT
VRT PRIJENOS:	4 raspona	4 raspona
UPRAVLJANJE:	InfoCentrePro	InfoCentrePro
BRZINA:	60 km/h	60 km/h
PTO:	540/ECO/1000/ECO	540/ECO/1000/ECO
ZADNJA HIDRULIKA:	10000 Kg	10000 Kg
PREDNJA HIDRULIKA:	5480 Kg	5480 Kg
PUMPA HIDRAULIKE:	160 L/min	160 L/min
MEĐUOSOVIN. RAZMAK:	2868 mm	2868 mm
MIN ŠIRINA:	2550-2750 mm	2550-2750 mm
KABINA:	MaxiVision 2	MaxiVision 2
TEŽINA S KABINOM:	8200-9100 Kg	8200-9100 Kg
KATALOŠKI BROJ:	-	-



## LAMBORGHINI Gusjeničari - STRIKE

LAMBORGHINI MODEL:	STRIKE C 115
MOTOR:	FARMotion
EMISIJA PLINOVA:	Stupanj III B
MAX SNAGA:	83.0 Kw / 113.0 Ks
ZAPREMINA:	3849 cc
CILINDARA:	4
MJENJAČ:	16+16 underdrive
MJENJAČ:	12+12 s creeper
GUSJENICE:	sa 6 Valjaka
PTO:	540/540ECO
ZADNJA HIDRULIKA:	2800 Kg
PUMPA HIDRAULIKE:	52 L/min
MEĐUOSOVIN. RAZMAK:	1850 mm
ŠIRINA:	1800 mm
PODRUČJE OTISKA:	14292 cm <sup>2</sup>
TEŽINA S ROLL BAR:	5510 Kg
KATALOŠKI BROJ:	-



LAMBORGHINI MODEL:	STRIKE CF 100	STRIKE CM 105
MOTOR:	FARMotion	FARMotion
EMISIJA PLINOVA:	Stupanj III B	Stupanj III B
MAX SNAGA:	71.0 Kw / 97.0 Ks	75.0 Kw / 102.0 Ks
ZAPREMINA:	2887 cc	3849 cc
CILINDARA:	3	4
MJENJAČ:	16+16 underdrive	16+16 underdrive
MJENJAČ:	12+12 s creeper	12+12 s creeper
GUSJENICE:	sa 5 Valjaka	sa 6 Valjaka
PTO:	540/540ECO	540/540ECO
ZADNJA HIDRULIKA:	2800 Kg	2800 Kg
PUMPA HIDRAULIKE:	52 L/min	52 L/min
MEĐUOSOVIN. RAZMAK:	1650 mm	1850 mm
ŠIRINA:	1460 mm	1800 mm
PODRUČJE OTISKA:	10440 cm <sup>2</sup>	14292 cm <sup>2</sup>
TEŽINA S ROLL BAR:	4200 Kg	4700 Kg
KATALOŠKI BROJ:	-	-





**Am grupa**  
www.amgrupa.hr • info@amgrupa.hr

## Am Centar BUZET

Riječka 8 • 52420 Buzet  
Tel. +385(0)52 662623 • Fax. +385(0)52 694084  
info@amgrupa.hr

## Am Centar POREČ

Facinka bb • 52440 Poreč  
Tel. +385(0)52 496300 • Fax. +385(0)52 496303  
porec@amgrupa.hr

## Am Centar VODNJAN

Istarska 159 • 52215 Vodnjan  
Tel. +385(0)52 255200 • Fax. +385(0)52 255203  
vodnjan@amgrupa.hr

## Am Skladište BUZET

Mažinjica bb • 52420 Buzet  
Tel. +385(0)52 662623 • Fax. +385(0)52 694084  
info@amgrupa.hr

[www.amgrupa.hr](http://www.amgrupa.hr)