



**Am grupa**  
www.amgrupa.hr • info@amgrupa.hr



 **MARLYAMA**  
MADE IN JAPAN

**KATALOG SEZONA 2021**

## Motorne pile MCV



MOTORNA PILA:	<b>MCV3101TS (10)</b>
ZAPREMINA:	30.1 cc
SNAGA:	1.40 Ks
MOTOR:	Stage (Euro 2)
STRART SYSTEM:	Reverse Start 2
VODILICA:	10"/25 cm - OREGON
LANAC:	91VG-3/8" - OREGON
PUMPA ULJA:	AUTOMATIC PODESIVA
REZERVOAR:	0.24 L
RAZINA SNAGE BUKE:	98 dB
RAZINA VIBRACIJE:	4.9 m/s <sup>2</sup>
NETO TEŽINA:	3.10 kg
KATALOŠKI BROJ:	362841



MOTORNA PILA:	<b>MCV3101S (14)</b>
ZAPREMINA:	30.1 cc
SNAGA:	1.40 Ks
MOTOR:	Stage (Euro 2)
STRART SYSTEM:	Reverse Start 2
VODILICA:	14" / 35 cm OREGON
LANAC:	91VG - 3/8" OREGON
PUMPA ULJA:	AUTOMATIC PODESIVA
REZERVOAR:	0.24 L
RAZINA SNAGE BUKE:	98 dB
RAZINA VIBRACIJE:	4.9 m/s <sup>2</sup>
NETO TEŽINA:	3.30 kg
KATALOŠKI BROJ:	362844



MOTORNA PILA:	<b>MCV3501S (16)</b>
ZAPREMINA:	34.9 cc
SNAGA:	1.70 Ks
MOTOR:	Stage (Euro 2)
STRART SYSTEM:	Reverse Start 2
VODILICA:	16"/40 cm - OREGON
LANAC:	91VG-3/8" - OREGON
PUMPA ULJA:	AUTOMATIC PODESIVA
REZERVOAR:	0.34 L
RAZINA SNAGE BUKE:	98 dB
RAZINA VIBRACIJE:	4.9 m/s <sup>2</sup>
NETO TEŽINA:	4.20 kg
KATALOŠKI BROJ:	362850



MOTORNA PILA:	<b>MCV3900T (14)</b>
ZAPREMINA:	38.0 cc
SNAGA:	2.50 Ks
MOTOR:	Stage (Euro 2)
STRART SYSTEM:	Reverse Start 2
VODILICA:	14" / 35 cm OREGON
LANAC:	91VG - 3/8" OREGON
PUMPA ULJA:	AUTOMATIC PODESIVA
REZERVOAR:	0.34 L
RAZINA SNAGE BUKE:	98 dB
RAZINA VIBRACIJE:	4.9 m/s <sup>2</sup>
NETO TEŽINA:	3.50 kg
KATALOŠKI BROJ:	362905



MOTORNA PILA:	<b>MCV4000 (14)</b>
ZAPREMINA:	38.0 cc
SNAGA:	2.50 Ks
MOTOR:	Stage (Euro 2)
STRART SYSTEM:	Reverse Start 2
VODILICA:	14" / 35 cm OREGON
LANAC:	3/8" - 1.3 - OREGON
PUMPA ULJA:	AUTOMATIC PODESIVA
REZERVOAR:	0.34 L
RAZINA SNAGE BUKE:	98 dB
RAZINA VIBRACIJE:	4.9 m/s <sup>2</sup>
NETO TEŽINA:	3.50 kg
KATALOŠKI BROJ:	362906



	<b>MCV5100 (16)</b>	<b>MCV5100 (18)</b>
ZAPREMINA:	51.0 cc	51.0 cc
SNAGA:	3.80 Ks	3.80 Ks
MOTOR:	Stage (Euro 2)	Stage (Euro 2)
STRART SYSTEM:	Reverse Start 2	Reverse Start 2
VODILICA:	16"/40 cm - OREGON	18"/45 cm - OREGON
LANAC:	325 - 1.5 - OREGON	325 - 1.5 - OREGON
PUMPA ULJA:	AUTOMATIC PODESIVA	AUTOMATIC PODESIVA
REZERVOAR:	0.47 L	0.47 L
RAZINA SNAGE BUKE:	98 dB	98 dB
RAZINA VIBRACIJE:	4.9 m/s <sup>2</sup>	4.9 m/s <sup>2</sup>
NETO TEŽINA:	4.90 kg	4.90 kg
KATALOŠKI BROJ:	362907	362908



	<b>MCV5600 (18)</b>	<b>MCV5600 (18)</b>
ZAPREMINA:	56.0 cc	56.0 cc
SNAGA:	4.10 Ks	4.10 Ks
MOTOR:	Stage (Euro 2)	Stage (Euro 2)
STRART SYSTEM:	Reverse Start 2	Reverse Start 2
VODILICA:	18"/45 cm - OREGON	18"/45 cm - OREGON
LANAC:	325 - 1.5 - OREGON	3/8" - 1.5 - OREGON
PUMPA ULJA:	AUTOMATIC PODESIVA	AUTOMATIC PODESIVA
REZERVOAR:	0.47 L	0.47 L
RAZINA SNAGE BUKE:	98 dB	98 dB
RAZINA VIBRACIJE:	4.9 m/s <sup>2</sup>	4.9 m/s <sup>2</sup>
NETO TEŽINA:	5.40 kg	5.40 kg
KATALOŠKI BROJ:	362909	362910



MOTORNA PILA:	<b>MCV6200 (20)</b>
ZAPREMINA:	62.0 cc
SNAGA:	4.80 Ks
MOTOR:	Stage (Euro 2)
STRART SYSTEM:	Reverse Start 2
VODILICA:	20"/50 cm - OREGON
LANAC:	3/8" - 1.5 - OREGON
PUMPA ULJA:	AUTOMATIC PODESIVA
REZERVOAR:	0.47 L
RAZINA SNAGE BUKE:	98 dB
RAZINA VIBRACIJE:	4.9 m/s <sup>2</sup>
NETO TEŽINA:	5.70 kg
KATALOŠKI BROJ:	362911




## 58 V Li - Ion uređaji



MODEL:	CS60Li
BATERIJA:	58V / 2.5Ah
TIP MOTORA:	BEZ ČETKICA
REZERVOAR ULJA:	120 ml
VRIJEME RADA:	35 min
VRIJEME PUNJENJA:	60 min
DUŽINA VODILICE:	14" - 35 cm
LANAC:	91PX - 3/8 - OEGON
NETO TEŽINA:	3.20 kg
KATALOŠKI BROJ:	391927



MODEL:	BC60Li
BATERIJA:	58V / 2.5Ah
TIP MOTORA:	BEZ ČETKICA
PRIKLJUČCI:	TRIMGLAVA AUTOM.
ŠIRINA KOŠNJE:	25 - 30 cm
VRIJEME RADA:	35 - 80 min
VRIJEME PUNJENJA:	60 min
BRZINA VRTNJE:	3500/5500/6500
OPREMA:	NOSIVI POJAS
NETO TEŽINA:	4.00 kg
KATALOŠKI BROJ:	391929



## Motorni trimeri MX - Mono/Duplex



MORNI TRIMER:	MX 27 E	MX 36 E
ZAPREMINA:	25.4 cc	35.5 cc
SNAGA:	1.50 Ks	2.10 Ks
MOTOR:	Stage (Euro 2)	Stage (Euro 2)
STRART SYSTEM:	Reverse Start 2	Reverse Start 2
DRŠKA:	MONO	MONO
TRIMGLAVA:	M - Tap 4	M - Tap 4
DISK:	-	-
REZERVOAR:	0.6 L	0.6 L
DIMENZIJE:	1765x590x450	1765x590x450
RAZINA SNAGE BUKE:	94.5/95.5 dB	94.5/95.5 dB
NETO TEŽINA:	4.10 Kg	6.00 Kg
KATALOŠKI BROJ:	366117	366133



MORNI TRIMER:	MX 27 EH	MX 36 EH
ZAPREMINA:	25.4 cc	35.5 cc
SNAGA:	1.50 Ks	2.10 Ks
MOTOR:	Stage (Euro 2)	Stage (Euro 2)
STRART SYSTEM:	Reverse Start 2	Reverse Start 2
DRŠKA:	DUPLEX	DUPLEX
TRIMGLAVA:	M - Tap 4	M - Tap 4
DISK:	-	-
REZERVOAR:	0.6 L	0.6 L
DIMENZIJE:	1765x590x450	1765x590x450
RAZINA SNAGE BUKE:	94.5/95.5 dB	94.5/95.5 dB
NETO TEŽINA:	5.00 Kg	6.90 Kg
KATALOŠKI BROJ:	366120	366134



## Motorni trimeri BC - Mono/Duplex



MORNI TRIMER:	<b>BC 5020 / 5021 RS</b>
ZAPREMINA:	50.1 cc
SNAGA:	2.90 Ks
MODEL MOTORA:	CER500
MOTOR:	Stage (Euro 2)
STRART SYSTEM:	Reverse Start 2
DRŠKA:	MONO
TRIMGLAVA:	Semi Auto (L) 5
DISK:	3 Z (255mm)
REZERVOAR:	1.00 L
DIMENZIJE:	1850x355x365
RAZINA SNAGE BUKE:	98.0/99.5 dB
NETO TEŽINA:	8.00 Kg
KATALOŠKI BROJ:	364120 / 364933



MORNI TRIMER:	<b>BC 5020 / 5021 H-RS</b>
ZAPREMINA:	50.1 cc
SNAGA:	2.90 Ks
MODEL MOTORA:	CER500
MOTOR:	Stage (Euro 2)
STRART SYSTEM:	Reverse Start 2
DRŠKA:	DUPLEX
TRIMGLAVA:	Semi Auto (L) 5
DISK:	3 Z (255mm)
REZERVOAR:	1.00 L
DIMENZIJE:	1855x730x480
RAZINA SNAGE BUKE:	98.0/99.5 dB
NETO TEŽINA:	8.30 Kg
KATALOŠKI BROJ:	364122 / 364795



## Motorni trimeri BKC - Flex



MORNI TRIMER:	<b>BKC 5020 / 5021 RS</b>
ZAPREMINA:	50.1 cc
SNAGA:	2.90 Ks
MODEL MOTORA:	CER500
MOTOR:	Stage (Euro 2)
STRART SYSTEM:	Reverse Start 2
DRŠKA:	FLEX
TRIMGLAVA:	Semi Auto (L) 5
DISK:	3 Z (255mm)
REZERVOAR:	1.00 L
DIMENZIJE:	2770x600x670
RAZINA SNAGE BUKE:	98.0/99.5 dB
NETO TEŽINA:	11.9 Kg
KATALOŠKI BROJ:	364135 / 364793



## Motorni trimmer MC - Mult Flex



MORNI TRIMER:	BC 4321 BK MULTI
ZAPREMINA:	41.5 cc
SNAGA:	2.60 Ks
MOTOR:	Stage (Euro 2)
STRART SYSTEM:	Reverse Start 2
DRŠKA:	FLEX
TRIMGLAVA:	Semi Auto (L) 5
DISK:	3 Z (255mm)
REZERVOAR:	1.00 L
DIMENZIJE:	2775x600x670
RAZINA SNAGE BUKE:	94.5/97.0 dB
NETO TEŽINA:	12.10 Kg
KATALOŠKI BROJ:	364508



## Priključci za Multi trimmer MC



PRIKLJUČAK:	PRIHVAT MCA-S
RADNI PRIKLJUČAK:	TRIMGLAVA
DUŽINA PALICE:	810 mm
TRIMGLAVA:	-
TEŽINA:	1.3 Kg
KATALOŠKI BROJ:	364515



PRIKLJUČAK:	PRIHVAT MCA-LB
RADNI PRIKLJUČAK:	CIRKULAR DUPLI
DUŽINA PALICE:	925 mm
CIRKULAR:	DUPLI 18 NOŽEVA
TEŽINA:	2.3 Kg
KATALOŠKI BROJ:	391428



PRIKLJUČAK:	PRIHVAT MCA-PS	PRIHVAT MCA-PL
RADNI PRIKLJUČAK:	VODILICA SA LANCEM	VODILICA SA LANCEM
DUŽINA PALICE:	1085 mm	1860 mm
VODILICA:	12.5CM/39E-OREGON	12.5CM/39E-OREGON
TEŽINA:	1.5 Kg	2.1 Kg
KATALOŠKI BROJ:	364517	364518



PRIKLJUČAK:	PRIHVAT MCA-HTS	PRIHVAT MCA-HTS(24)
RADNI PRIKLJUČAK:	REZAČ ŽIVICE	REZAČ ŽIVICE
DUŽINA PALICE:	1325 mm	1535 mm
DUŽINA REZAČA:	400 mm/DUPLI NOŽ	600 mm/DUPLI NOŽ
TEŽINA:	2.7 Kg	3.0 Kg
KATALOŠKI BROJ:	364520	364519



PRIKLJUČAK:	PRIHVAT MCA-T
RADNI PRIKLJUČAK:	KULTIVATOR
DUŽINA PALICE:	885 mm
ŠIRINA FREZE:	150 mm
TEŽINA:	2.9 Kg
KATALOŠKI BROJ:	364516



PRIKLJUČAK:	PRODUŽETAK MCA-P
RADNI PRIKLJUČAK:	PRODUŽETAK PALICE
DUŽINA PALICE:	550 mm
PRIHVAT:	BRZI
TEŽINA:	0.85 Kg
KATALOŠKI BROJ:	237955



## Motorni rezači živice HT



<b>MOTORNI REZAČ ŽIVICE:</b>	<b>HT 236 DVR</b>
<b>ZAPREMINA:</b>	22.5 cc
<b>SNAGA:</b>	1.00 Ks
<b>MOTOR:</b>	Starge (Euro 1)
<b>START SYSTEM:</b>	Reverse Start 2
<b>RUKOHVAT:</b>	OKRETAN PODESIV
<b>DUŽINA NOŽA:</b>	600 mm
<b>TIP NOŽA:</b>	LASER CUT DOUBLE
<b>RAZMAK ZUBIJU:</b>	2.3 mm
<b>VISINA OŠTRICE:</b>	35 mm
<b>REZERVOAR:</b>	0.4 L
<b>RAZINA VIBRACIJE:</b>	7.0 m/s <sup>2</sup>
<b>RAZINA SNAGE BUKE:</b>	108 dB
<b>NETO TEŽINA:</b>	5.20 Kg
<b>KATALOŠKI BROJ:</b>	HT 236 DVR



<b>MOTORNI REZAČ ŽIVICE:</b>	<b>HT 239 D</b>	<b>HT 239 DL</b>
<b>ZAPREMINA:</b>	22.5 cc	22.5 cc
<b>SNAGA:</b>	1.20 Ks	1.20 Ks
<b>MOTOR:</b>	HE232 (Euro 5)	HE232 (Euro 5)
<b>START SYSTEM:</b>	Reverse Start 2	Reverse Start 2
<b>RUKOHVAT:</b>	OKRETAN PODESIV	OKRETAN PODESIV
<b>DUŽINA NOŽA:</b>	600 mm	750 mm
<b>TIP NOŽA:</b>	OCHIAI JAPAN	OCHIAI JAPAN
<b>RAZMAK ZUBIJU:</b>	2.3 mm	2.3 mm
<b>VISINA OŠTRICE:</b>	35 mm	35 mm
<b>REZERVOAR:</b>	0.4 L	0.4 L
<b>RAZINA VIBRACIJE:</b>	7.0 m/s <sup>2</sup>	7.0 m/s <sup>2</sup>
<b>RAZINA SNAGE BUKE:</b>	108 dB	108 dB
<b>NETO TEŽINA:</b>	5.00 Kg	5.20 Kg
<b>KATALOŠKI BROJ:</b>	362442	362443



## Motorni rezač grana TP - sa vodilicom



<b>MOTORNI REZAČ ŽIVICE:</b>	<b>TP 2430</b>	<b>TPP2630</b>
<b>ZAPREMINA:</b>	22.5 cc	26.4 cc
<b>SNAGA:</b>	1.00 Ks	1.20 Ks
<b>MOTOR:</b>	EE232 (Euro 5)	EE232 (Euro 5)
<b>STRART SYSTEM:</b>	Reverse Start 2	Reverse Start 2
<b>DUŽINA PALICE:</b>	2050 mm	TELES 2155 - 3355 mm
<b>VODILICA:</b>	OREGON	OREGON
<b>DUŽINA VODILICE:</b>	250 mm	250 mm
<b>LANAC:</b>	91PX - 40E - OREGON	91PX - 40E - OREGON
<b>BRZINA LANCA:</b>	22.2 m/s	22.2 m/s
<b>REZERVOAR:</b>	0.50 L	0.55 L
<b>RAZINA VIBRACIJE:</b>	-	-
<b>RAZINA SNAGE BUKE:</b>	94.5/95.5 dB	94.5/95.5 dB
<b>DIMENZIJE PAK:</b>	2050x215x225	2050x215x225
<b>NETO TEŽINA:</b>	4.60 Kg	6.50 Kg
<b>KATALOŠKI BROJ:</b>	364669	364588



<b>MOTORNO SVRDLO:</b>	<b>MAG 500 RS (150)</b>
ZAPREMINA:	50.1 cc
SNAGA:	2.90 Ks
MOTOR:	Stage (Euro 1)
STRART SYSTEM:	Reverse Start 2
ŠIRINA SVRDLA:	150 mm
DUŽINA SVRDLA:	800 mm
REZERVOAR:	1.00 L
DIMENZIJE:	-
RAZINA VIBRACIJE:	5.6 m/s <sup>2</sup>
RAZINA SNAGE BUKE:	91.5/96.5 dB
NETO TEŽINA:	10.4 Kg
KATALOŠKI BROJ:	363518 + DRILL 150



<b>MOTORNI PUHAČ:</b>	<b>BL 3110</b>
ZAPREMINA:	30.1 cc
SNAGA:	1.40 Ks
REZERVOAR:	0.50 L
PROSJEČAN VOLUMEN :	12.0 m <sup>3</sup> /min
MAX PROTOK ZRAKA:	72.1 m/s
DIMENZIJE:	325x255x370
RAZINA SNAGE BUKE:	108 dB
NETO TEŽINA:	4.30 Kg
KATALOŠKI BROJ:	395816



<b>MOTORNI PUHAČ:</b>	<b>BL 9000</b>
ZAPREMINA:	79.2 cc
SNAGA:	5.00 Ks
REZERVOAR:	2.10 L
PROSJEČAN VOLUMEN :	25.3 m <sup>3</sup> /min
MAX PROTOK ZRAKA:	95.7 m/s
DIMENZIJE:	365x485x475
RAZINA SNAGE BUKE:	73 dB
NETO TEŽINA:	10.90 Kg
KATALOŠKI BROJ:	395867



<b>MOTORNI ATOMIZER:</b>	<b>KD 181 DX</b>
ZAPREMINA:	64.7 cc
SNAGA:	4.00 Ks
REZERVOAR:	2.00 L
SPREMNIK/PESTICIDI:	13.00 L
PROSJEČAN VOLUMEN :	20.3 m <sup>3</sup> /min
MAX PROTOK:	3.8 L/min
DIMENZIJE:	375x480x590
RAZINA SNAGE BUKE:	74.7 dB
NETO TEŽINA:	11.20 Kg
KATALOŠKI BROJ:	352795



<b>MOTORNA PUMPA:</b>	<b>MP 2523/2524</b>
ZAPREMINA:	22.5 cc
SNAGA:	1.00 Ks
REZERVOAR:	0.60 L
PROMJER:	25 mm
PROTOK VODE:	113 L/min
MAX USIS:	36 m
RAZINA SNAGE BUKE:	96 dB
NETO TEŽINA:	4.30 Kg
KATALOŠKI BROJ:	332318





**30**

GODINA POVJERENJA



**Am grupa**

www.amgrupa.hr • info@amgrupa.hr

## Am Centar BUZET

Riječka 8 • 52420 Buzet

Tel. +385(0)52 662623 • Fax. +385(0)52 694084  
info@amgrupa.hr

## Am Centar POREČ

Facinka bb • 52440 Poreč

Tel. +385(0)52 496300 • Fax. +385(0)52 496303  
porec@amgrupa.hr

## Am Centar VODNJAN

Istarska 159 • 52215 Vodnjan

Tel. +385(0)52 255200 • Fax. +385(0)52 255203  
vodnjan@amgrupa.hr

## Am Skladište BUZET

Mažinjica bb • 52420 Buzet

Tel. +385(0)52 662623 • Fax. +385(0)52 694084  
info@amgrupa.hr

[www.amgrupa.hr](http://www.amgrupa.hr)